

SOLHYDCOAT SAFETY YELLOW -Part A

SECTION 1. IDENTIFICATION

Product Identifier SOLHYDCOAT SAFETY YELLOW -Part A

Other Means of

SCOAT-YELLOW A Identification

Product Family Résine Epoxy Revetement-Partie A

Recommended Use Mix with hardener Part B of same material. **Restrictions on Use** Use with Part B (Hardener) of this product.

Manufacturer/Supplier SOLHYDROC INC., 625 rue du Parc-Industriel, Longueuil, Québec, J4H 3V7, Marc

Identifier Charlebois, 888-765-4937, www.solhydroc.com

SOLHYDROC INC., 625 rue du Parc-Industriel, Longueuil, Québec, J4H 3V7, Marc **Supplier Identifier**

Charlebois, 888-765-4937, www.solhydroc.com

Emergency Phone No. Marc Charlebois, 514-705-7198, 24 Hres/ 7 Jours

CANUTEC, 613-996-6666, 24HR/7Jours

SDS No. 00230009

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Acute toxicity (Oral) - Category 5; Acute toxicity (Dermal) - Category 4; Acute toxicity (Inhalation) - Category 5; Skin irritation - Category 3; Eye irritation - Category 2B; Respiratory sensitization - Category 1B; Skin sensitization -Category 1B

Label Elements





Danger

Hazard Statement(s):

Causes skin irritation.

May be harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Causes eve irritation.

Precautionary Statement(s):

Prevention:

Avoid breathing dust/fume/gas/mist/vapours/spray.

In case of inadequate ventilation wear respiratory protection.

In case of inadequate ventilation wear respiratory protection (NIOSH approved air-purifying respirator with an organic vapour cartridge).

Wash hands thoroughly after handling.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Product Identifier: SOLHYDCOAT SAFETY YELLOW -Part A

00230009 SDS No.: Page 01 of 07

Continue rinsing.

If eye irritation persists: Get medical advice or attention.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

May be a health hazard in confined spaces.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Oxirane, 2,2'-[(1-methylethylidene)bis(4, 1-phenyleneoxymethylene)]bis-, homopolymer	25085-99-8	55-75	
Alkyl Glycidyl Ether	68609-97-2	5-10	
Benzyl alcohol	100-51-6	2-5	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation or a rash occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If eye irritation persists, get medical advice or attention.

Ingestion

DO NOT INDUCE VOMITING get medical advice or attention if you feel unwell or are concerned. Have victim drink water or milk.if conscious.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

Most Important Symptoms and Effects, Acute and Delayed

If in eyes: can cause effects as described for skin contact. The vapour also irritates or burns the eyes. Permanent damage including blindness can result. If on skin: repeated or prolonged exposure can irritate the skin. If inhaled: may cause moderate to severe irritation.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin, respiratory system, digestive system.

Special Instructions

Not applicable.

Medical Conditions Aggravated by Exposure

Product Identifier: SOLHYDCOAT SAFETY YELLOW -Part A

SDS No.: 00230009 Page 02 of 07

Eye conditions, respiratory conditions, asthma. May cause skin sensitization.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use water to keep non-leaking, fire-exposed containers cool. Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

Not applicable.

Specific Hazards Arising from the Product

May accumulate in hazardous amounts at ceilings and at the top of confined spaces, resulting in a health hazard. Closed containers may rupture violently when heated releasing contents.

In a fire, the following hazardous materials may be generated: very toxic carbon monoxide, carbon dioxide; corrosive phenols.

Special Protective Equipment and Precautions for Fire-fighters

Approach fire from upwind to avoid hazardous vapours or gases.

Fire-fighters should enter area wearing specialized protective equipment. (Bunker Gear will not provide adequate protection.).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel.

Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Minimize the use of water to prevent environmental contamination.

Methods and Materials for Containment and Cleaning Up

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Large spills or leaks: contaminated absorbent poses the same hazard as the spilled product. Dike spilled product to prevent runoff. Do not direct water at spill or source. Remove or recover liquid using pumps or vacuum equipment. Review Section 13 (Disposal Considerations) of this safety data sheet.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin or on clothing. Wear personal protective equipment to avoid direct contact with this chemical. Avoid generating vapours or mists. Do not swallow. Wash hands thoroughly after handling this material. Use adequate ventilation and employ respiratory protection where dust or fumes may be generated.

Conditions for Safe Storage

Store in an area that is: cool, ventilated. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product Identifier: SOLHYDCOAT SAFETY YELLOW -Part A

SDS No.: 00230009 Page 03 of 07

Control Parameters

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Benzyl alcohol	10 ppm					

Appropriate Engineering Controls

Use local exhaust ventilation and enclosure, if necessary, to control amount in the air. Provide eyewash in work area, if contact or splash hazard exists. Breathing Vapours must be avoided.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Tychem® SL (Saranex™).

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with an organic vapour cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Dark yellow. Particle Size: Not applicable

Odour Aromatic
Odour Threshold Not available
pH Not applicable

Melting Point/Freezing Point Not applicable (melting); Not applicable (freezing)

Initial Boiling Point/Range >= 120 °C (248 °F)

Flash Point Not available
Evaporation Rate Not available
Flammability (solid, gas) Not available

Upper/Lower Flammability or

Explosive Limit

Not available (upper); Not available (lower)

Vapour Pressure < 0.05 mm Hg at 20 °C

Vapour Density (air = 1) > 1

Relative Density (water = 1) 1.11 - 1.55

Solubility Practically insoluble in water; Highly soluble in aromatic hydrocarbons (e.g.

toluene).

Partition Coefficient,

n-Octanol/Water (Log Kow)

Not available

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity < 100 mm2/s at 25 °C (kinematic)

Other Information

Physical State Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Controlled polymerizations when mixed with the part B of this material.

Chemical Stability

Product Identifier: SOLHYDCOAT SAFETY YELLOW -Part A

SDS No.: 00230009 Page 04 of 07

Normally stable.

Possibility of Hazardous Reactions

Reacts in the presence of heat. Releases a large amount of pressure. See "Hazardous Decomposition Products".

Conditions to Avoid

Prolonged exposure to high temperatures. Incompatible materials. Acidic conditions (low pH). Alkaline conditions (high pH). Temperatures above 45.0 °C (113.0 °F)

Incompatible Materials

Highly reactive. Oxidizing agents (e.g. peroxides), strong acids (e.g. hydrochloric acid), strong bases (e.g. sodium hydroxide).

Hazardous Decomposition Products

When exposed to very high temperatures will release very toxic carbon monoxide, carbon dioxide; corrosive phenols.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Eye contact; skin contact; inhalation; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Benzyl alcohol	> 1000 mg/L (rat) (4-hour exposure) (vapour)	1360 mg/kg (mouse)	2000 mg/kg (rabbit)
Alkyl Glycidyl Ether		19.2 mg/L (rat)	
Oxirane, 2, 2'-[(1-methylethylidene)bis (4, 1-phenyleneoxymethylene)] bis-, homopolymer		> 5000 mg/kg (rat)	20000 mg/kg (rabbit)

LC50: Not applicable.

LD50 (oral): Not applicable.

LD50 (dermal): Not applicable.

Skin Corrosion/Irritation

May cause mild irritation based on information for closely related chemicals. Repeated or prolonged exposure can irritate or burn the skin.

Serious Eye Damage/Irritation

Symptoms include sore, red eyes, and tearing.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May be harmful nose and throat irritation.

Skin Absorption

May be harmful Symptoms may include redness, rash, swelling and itching.

Ingestion

May be harmful irritation of the mouth, throat and stomach.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

Product Identifier: SOLHYDCOAT SAFETY YELLOW -Part A

SDS No.: 00230009 Page 05 of 07

May cause an allergic reaction (skin sensitization) based on limited evidence.

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists.

Reproductive Toxicity

Development of Offspring

No information was located.

Sexual Function and Fertility

Does not cause effects on sexual function or fertility.

Effects on or via Lactation

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

May cause long lasting harmful effects to aquatic life, for the product itself.

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	ECAN CRUSTACEA	ErC50 Aquatic Plants	ErC50 Algae
Benzyl alcohol	10 mg/L (Lepomis			
	macrochirus			
	(bluegill); 96-hour)			

Persistence and Degradability

No ingredient of this product or its degradation products is known to be highly persistent.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

This product and its container must be disposed of as hazardous waste. Do NOT dump into any sewers, on the ground or into any body of water. The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws are the responsibility of the user.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Product is included on DSL(INVENTORY).

Canada

WHMIS 1988 Classification

Product Identifier: SOLHYDCOAT SAFETY YELLOW -Part A

SDS No.: 00230009 Page 06 of 07



Class D2B

D2B - Toxic (Skin irritant; Eye irritant)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL or are not required to be listed.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 2 Flammability - 0

SDS Prepared By SOLHYDROC Phone No. 450-264-9799 **Date of Preparation** février 18, 2016 Date of Last Revision février 22, 2016

Key to Abbreviations NIOSH = National Institute for Occupational Safety and Health

OSHA = US Occupational Safety and Health Administration

IARC = International Agency for Research on Cancer

ACGIH® = American Conference of Governmental Industrial Hygienists

CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). References

Disclaimer We declare the information contained herein are correct. However, we decline all responsibility

as to the exactness and the usage of the later.

Product Identifier: SOLHYDCOAT SAFETY YELLOW -Part A

SDS No.: 00230009 Page 07 of 07

