



# STRUCTUROC E.T

## **SECTION 1. IDENTIFICATION**

Product Identifier STRUCTUROC E.T Other Means of SOL-ROC-E.T

Identification

**Recommended Use** Quick setting cement repair mortar.

Manufacturer/Supplier SOLHYDROC INC., 2909 Powerscourt, Athelstan, Québec, JOS 1A0, Marc Charlebois,

**Identifier** 888-765-4937, www.solhydroc.com

Supplier Identifier SOLHYDROC INC., 2909 Powerscourt, Athelstan, Québec, JOS 1A0, Marc Charlebois,

888-765-4937, www.solhydroc.com

**Emergency Phone No.** Marc Charlebois, 514-705-7198, 24 Hres/ 7 Jours

CANUTEC, 613-996-6666, 24HR/7Jours

**SDS No.** 0189

Date of Preparation mai 13, 2016

## **SECTION 2. HAZARD IDENTIFICATION**

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

#### Classification

Acute toxicity (Oral) - Category 4; Skin irritation - Category 2; Serious eye damage - Category 1; Respiratory sensitization - Category 1; Skin sensitization - Category 1; Carcinogenicity - Category 1A; Reproductive toxicity - Category 1B; Specific target organ toxicity (single exposure) - Category 3; Specific target organ toxicity (repeated exposure) - Category 1

### **Label Elements**







### Danger

Hazard Statement(s): Harmful if swallowed. Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

May cause respiratory irritation.

Prevention:

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Use only outdoors or in a well-ventilated area.

Do not breathe dust.

Response:

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

Rinse mouth.

Product Identifier: STRUCTUROC E.T

SDS No.: 0189

Date of Preparation: mai 13, 2016

Page 01 of 06

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTRE or doctor.

IF ON SKIN: Wash with plenty of water/

Take off immediately all contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice or attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTRE or doctor if you feel unwell.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

#### Other Hazards

Contains ingredients -in there powdered form -that are suspected of cancer caused by overexpose to the dust and Respirable fractions.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Silica, quartz	14808-60-7	<65	
Portland cement	65997-15-1	<55	
Cement, alumina, chemicals	65997-16-2	<22	
Calcium sulfate, anhydrous	7778-18-9	<7	

## **SECTION 4. FIRST-AID MEASURES**

### **First-aid Measures**

#### Inhalation

Move to fresh air. Can cause respiratory irritation or lung damage get medical advice or attention if you feel unwell.

#### **Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If exposed or concerned, get medical advice or attention. For severe exposures get under safety shower after having removed clothing.

Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

#### **Eve Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice or attention. Seek medical attention for abrasion and burns.

### Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Have victim drink several glasses of water, if conscious get medical advice or attention if you feel unwell or are concerned. If vomiting occurs naturally, keep head below hips to prevent aspiration of liquid into lungs and have person drink plenty of water. Immediately call a Poison Centre or doctor. Specific treatment is required.

### Most Important Symptoms and Effects, Acute and Delayed

If in eyes: can cause thermal burns from heat released when it reacts with water. Symptoms include pain, redness, and swelling. If on skin: may cause skin and eye irritation. May cause burns in presence of moisture do not allow product to harden or have prolonged contact with skin or around body parts if inhaled: may cause respiratory irritation could severely damage lung tissue.

## **Immediate Medical Attention and Special Treatment**

#### **Target Organs**

Respiratory system, eyes, skin.

## Special Instructions

Symptoms may not appear immediately.

Product Identifier: STRUCTUROC E.T

SDS No.: 0189

Date of Preparation: mai 13, 2016

Page 02 of 06

## **Medical Conditions Aggravated by Exposure**

Respiratory conditions, skin conditions.

### **SECTION 5. FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

### Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

### **Unsuitable Extinguishing Media**

None known.

### **Specific Hazards Arising from the Product**

This product presents no unusual hazards in a fire situation.

Not known to generate any hazardous decomposition products in a fire. may include but not limited to Carbon oxides.

## **Special Protective Equipment and Precautions for Fire-fighters**

Approach fire from upwind to avoid hazardous vapours or gases.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment, and Emergency Procedures

Allow the product to dry and harden. Avoid generating dust use the personal protective equipment recommended in Section 8 of this safety data sheet. Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel.

#### **Environmental Precautions**

Do not allow into any sewer, on the ground or into any waterway. Minimize the use of water to prevent environmental contamination.

## Methods and Materials for Containment and Cleaning Up

Do not direct water at spill or source. Avoid generating dust. Avoid dry sweeping. If necessary, use a dust suppressant such as water. Do not use compressed air for clean-up. Small spills or leaks: collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal. Large spills or leaks: dike spilled product to prevent runoff. Get expert advice before treating the spilled product with other chemicals to make it less hazardous. Remove or recover liquid using pumps or vacuum equipment.

## **SECTION 7. HANDLING AND STORAGE**

## **Precautions for Safe Handling**

Avoid generating dusts. Use adequate ventilation and employ respiratory protection where dust or fumes may be generated avoid repeated or prolonged skin contact. Do not get in eyes. Do not use compressed air for cleaning clothing or equipment, etc. Launder clothes before rewearing. Inform laundry personnel of product hazard(s). Avoid high ambient temperatures and humidity.

#### **Conditions for Safe Storage**

Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity). Store in the original, labelled, shipping container. Avoid dust build up keep the container away from moisture.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control Parameters**

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Silica, quartz	0.025 mg/m3 A2 RSEN		0.1 mg/m3			
Portland cement	1 mg/m3 (E) RSEN		15 mg/m3 (E) RSEN			
Cement, alumina, chemicals	10 mg/m3		15 mg/m3			
Calcium sulfate, anhydrous	10 mg/m3			15 mg/m3		

## **Appropriate Engineering Controls**

Product Identifier: STRUCTUROC E.T

SDS No.: 0189

Date of Preparation: mai 13, 2016

Page 03 of 06

Avoid breathing dust keep exposure levels below the exposure limits use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists. Keep exposure levels below the exposure limits.

### **Individual Protection Measures**

#### **Eve/Face Protection**

Wear chemical safety goggles and face shield when contact is possible.

#### **Skin Protection**

Wear suitable waterproof gloves wear chemical protective clothing e.g. gloves, aprons, boots.

### **Respiratory Protection**

Wear a NIOSH approved particulate respiratory equipped with an N95, R95, or P95 filter. When ventilation is inadequate wear a NIOSH approved air-purifying respirator with N100, R100, or P100 filter(s).

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

### **Basic Physical and Chemical Properties**

**Appearance** Dark grey - brown fine powder.

Odour Not available
Odour Threshold Not available
pH 10.5 - 11.5

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash PointNot applicableEvaporation RateNot applicableFlammability (solid, gas)Will not burn.

**Upper/Lower Flammability or** 

**Explosive Limit** 

Not applicable (upper); Not applicable (lower)

Vapour PressureNot applicableVapour Density (air = 1)Not availableRelative Density (water = 1)2.7 - 3.0 at 20 °C

**Solubility** Slightly soluble in water; Insoluble in ketones (e.g. acetone).

Auto-ignition TemperatureNot applicableDecomposition TemperatureNot available

Other Information

Physical State Solid

## **SECTION 10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions of use. Will react in presence of water- Will heat up and harden.

### **Chemical Stability**

Normally stable. Keep in a dry storage area.

## **Possibility of Hazardous Reactions**

None expected under normal conditions of storage and use.

#### **Conditions to Avoid**

Water, moisture or humidity.

### **Hazardous Decomposition Products**

May include ,and are not limited to: oxides of carbon.

### SECTION 11. TOXICOLOGICAL INFORMATION

## **Likely Routes of Exposure**

Inhalation; skin contact; skin absorption; eye contact; ingestion.

### **Acute Toxicity**

Product Identifier: STRUCTUROC E.T

SDS No.: 0189 Page 04 of 06

Date of Preparation: mai 13, 2016

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Silica, quartz		500 mg/kg (rat) (dust)	

#### Skin Corrosion/Irritation

May cause moderate or severe irritation based on information for closely related materials. May cause moderate or severe irritation based on information for closely related materials. May burn the skin. Permanent scarring may result.

### Serious Eye Damage/Irritation

May cause serious eye damage based on information for closely related materials. Symptoms include sore, red eyes, and tearing.

### STOT (Specific Target Organ Toxicity) - Single Exposure

### Inhalation

May cause respiratory tract irritation severe lung injury. Symptoms include burning, sneezing and coughing may cause serious lung disease acute silicosis symptoms shortness of breath, fever, cough and weight loss, could cause death.

### **Skin Absorption**

Symptoms may include redness, rash, swelling and itching. Thermal burns from heat released when it reacts with water. Can cause sensitization.

#### Ingestion

May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause irritation of the respiratory system. Respiratory tract injury has been observed. Lung disease silicosis.

### Respiratory and/or Skin Sensitization

Human experience shows an allergic skin reaction (skin sensitization) in rare cases following exposure at work.

### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Silica, quartz	Group 1	A2		
Portland cement		A4		

May cause cancer based on information for closely related chemicals. Known to cause: lung cancer. Excessive inhalation of Respirable crystalline silica dust may cause a progressive, disabling and sometimes fatal lung disease called Silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness and reduced pulmonary function.

## **Reproductive Toxicity**

### **Development of Offspring**

Conclusions cannot be drawn from the limited studies available.

## **Sexual Function and Fertility**

Conclusions cannot be drawn from the limited studies available.

### **Effects on or via Lactation**

No information was located.

### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

No information was located. May cause long term adverse effects in aquatic environment.

## Persistence and Degradability

Expected not to degrade rapidly based on indirect evidence e.g. knowledge from structurally similar substances.

#### **Bioaccumulative Potential**

No information was located.

### **Mobility in Soil**

No information was located.

Product Identifier: STRUCTUROC E.T

SDS No.: 0189 Page 05 of 06

Date of Preparation: mai 13, 2016

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.

## **SECTION 14. TRANSPORT INFORMATION**

Not regulated under Canadian TDG regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

### Safety, Health and Environmental Regulations

This product has been classified in accordance with hazard criteria of the Controlled products regulations and this SDS contains all information required by the Controlled Products Regulations.

### Canada

### **WHMIS 1988 Classification**





Class D2A; D2B

Class E

D2A - Very Toxic (Chronic toxicity); D2B - Toxic (Skin irritant; Eye irritant); E - Corrosive

### **SECTION 16. OTHER INFORMATION**

NFPA Rating Health - 1 Flammability - 0 Instability - 0

SDS Prepared By SOLHYDROC Phone No. 450-264-9799 Date of Preparation mai 13, 2016 Date of Last Revision juin 30, 2016

Key to Abbreviations ACGIH® = American Conference of Governmental Industrial Hygienists

AIHA® = AIHA® Guideline Foundation. OSHA = US Occupational Safety and Health

Administration

**References** CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

**Disclaimer** We declare the information contained herein are correct. However, we decline all responsibility

as to the exactness and the usage of the later.

Product Identifier: STRUCTUROC E.T

SDS No.: 0189 Page 06 of 06

Date of Preparation: mai 13, 2016

