

**STRUCTUROC V-PLUS****SECTION 1. IDENTIFICATION**

<b>Product Identifier</b>	STRUCTUROC V-PLUS
<b>Other Means of Identification</b>	SOL-ROC-V-PLUS
<b>Recommended Use</b>	Quick setting cement repair mortar for vertical application for Industrial, Commercial and Institutional use.
<b>Manufacturer/Supplier Identifier</b>	BMQ SOLUTIONS, 1522 Boulevard des Laurentides, Laval, Qc, H7M 2N7, Marc Charlebois, 877-267-7249, <a href="http://www.lafarge.ca/en/bmq-solutions">www.lafarge.ca/en/bmq-solutions</a>
<b>Supplier Identifier</b>	BMQ SOLUTIONS, 1522 Boulevard des Laurentides, Laval, Qc, H7M 2N7, Marc Charlebois, 877-267-7249, <a href="http://www.lafarge.ca/en/bmq-solutions">www.lafarge.ca/en/bmq-solutions</a>
<b>Emergency Phone No.</b>	Marc Charlebois, 514-705-7198, 24 Heures / 7 Jours CANUTEC, 613-996-6666, 24HR/7Jours Josiane Gagnon, 514-909-5277, 24 Heures / 7 Jours
<b>SDS No.</b>	0188
<b>Date of Preparation</b>	mai 13, 2016

**SECTION 2. HAZARD IDENTIFICATION**

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

**Classification**

Acute toxicity (Oral) - Category 4; Skin irritation - Category 2; Serious eye damage - Category 1; Respiratory sensitization - Category 1; Skin sensitization - Category 1; Carcinogenicity - Category 1A; Reproductive toxicity - Category 1B; Specific target organ toxicity (single exposure) - Category 3; Specific target organ toxicity (repeated exposure) - Category 1

**Label Elements**

Danger

Hazard Statement(s):

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

May cause respiratory irritation.

Prevention:

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use only outdoors or in a well-ventilated area.  
Do not breathe dust.

Response:

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTRE or doctor.

IF ON SKIN: Wash with plenty of water/

Take off immediately all contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice or attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTRE or doctor if you feel unwell.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

#### Other Hazards

Contains ingredients -in there powdered form -that are suspected of cancer caused by overexpose to the dust and Respirable fractions.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Silica, quartz	14808-60-7	<53		
Portland cement	65997-15-1	<30		
Calcium carbonate	1317-65-3	<12		

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Move to fresh air. Get medical advice or attention if you feel unwell. Can cause respiratory irritation or lung damage avoid mouth-to-mouth contact by using a barrier device.

##### Skin Contact

Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If skin irritation occurs, get medical advice or attention. For severe exposures; get under safety shower after removing clothing. Do not apply greases or ointments if abrasion or burns, seek medical attention.

##### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice or attention. Seek medical attention for abrasion and burns.

##### Ingestion

Have victim drink several glasses of water, if conscious never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Get medical advice or attention if you feel unwell or are concerned. If vomiting is inevitable, prevent aspiration by keeping the victims head below the knee immediately call a Poison Centre or doctor.

Product Identifier: STRUCTUROC V-PLUS - Ver. 1

SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018

Page 02 of 07

## Most Important Symptoms and Effects, Acute and Delayed

If in eyes: can cause thermal burns from heat released when it reacts with water. Symptoms include pain, redness, and swelling. If on skin: may cause skin and eye irritation. May cause burns in presence of moisture do not allow product to harden or have prolonged contact with skin or around body parts if inhaled: may cause respiratory irritation could severely damage lung tissue in rare cases, may cause asthma or an asthma-like reaction.

## Immediate Medical Attention and Special Treatment

### Target Organs

Respiratory system, eyes, skin.

### Special Instructions

Symptoms may not appear immediately.

### Medical Conditions Aggravated by Exposure

Respiratory conditions, skin conditions.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

#### Unsuitable Extinguishing Media

None known.

### Specific Hazards Arising from the Product

This product presents no unusual hazards in a fire situation.

Not known to generate any hazardous decomposition products in a fire. may include but not limited to Carbon oxides.

### Special Protective Equipment and Precautions for Fire-fighters

Approach fire from upwind to avoid hazardous vapours or gases.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Allow the product to dry and harden. Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

### Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. Minimize the use of water to prevent environmental contamination.

### Methods and Materials for Containment and Cleaning Up

Do not direct water at spill or source. Avoid generating dust. Avoid dry sweeping. If necessary, use a dust suppressant such as water. Do not use compressed air for clean-up. Small spills or leaks: collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal. Large spills or leaks: remove or recover liquid using pumps or vacuum equipment. Avoid generating dust. Get expert advice before treating the spilled product with other chemicals to make it less hazardous.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Avoid generating dusts. Use adequate ventilation and employ respiratory protection where dust or fumes may be generated avoid repeated or prolonged skin contact. Do not get in eyes. Do not use compressed air for cleaning clothing or equipment, etc. Prevent all skin contact.

### Conditions for Safe Storage

Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity). Store in the original, labelled, shipping container. Avoid dust build up keep the container away from moisture.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Silica, quartz	0.025 mg/m3 A2 RSEN		0.1 mg/m3			
Portland cement	1 mg/m3 (E) RSEN		15 mg/m3 (E) RSEN			
Calcium carbonate	Not established		15 mg/m3			

### Appropriate Engineering Controls

Avoid breathing dust keep exposure levels below the exposure limits use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

#### Skin Protection

Wear suitable waterproof gloves wear chemical protective clothing e.g. gloves, aprons, boots.

#### Respiratory Protection

Wear a NIOSH approved particulate respirator equipped with an N95, R95, or P95 filter. When ventilation is inadequate wear a NIOSH approved air-purifying respirator with N100, R100, or P100 filter(s).

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Dark grey - brown fine powder.
Odour Threshold	Not available
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not available
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid, gas)	Will not burn.
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not available
Solubility	Slightly soluble in water; Insoluble in ketones (e.g. acetone).
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Other Information	
Physical State	Solid

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions of use. Will react in presence of water- Will heat up and harden.

### Chemical Stability

Normally stable. Keep in a dry storage area.

Product Identifier: STRUCTUROC V-PLUS - Ver. 1

SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018

Page 04 of 07

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

None known.

### Incompatible Materials

None known.

### Hazardous Decomposition Products

May include ,and are not limited to: oxides of carbon.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Inhalation; skin contact; skin absorption; eye contact; ingestion.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Silica, quartz		500 mg/kg (rat) (dust)	
Calcium carbonate		6540 mg/kg (rat)	

### Skin Corrosion/Irritation

May cause moderate or severe irritation based on information for closely related materials. May cause moderate or severe irritation based on information for closely related materials. May burn the skin. Permanent scarring may result.

### Serious Eye Damage/Irritation

May cause serious eye damage based on information for closely related materials. Symptoms include sore, red eyes, and tearing. May cause cornea damage or blindness.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause respiratory tract irritation symptoms include burning, sneezing and coughing symptoms shortness of breath, fever, cough and weight loss, could cause death may cause serious lung disease acute silicosis.

#### Skin Absorption

Can cause effects as described for inhalation. Symptoms may include redness, rash, swelling and itching. Thermal burns from heat released when it reacts with water.

#### Ingestion

May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause irritation of the respiratory system. Respiratory tract injury has been observed. Lung disease silicosis.

### Respiratory and/or Skin Sensitization

Human experience shows an allergic skin reaction (skin sensitization) in rare cases following exposure at work. Chronic exposure can cause lung cancer, auto immune and chronic kidney diseases, tuberculosis.

### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Silica, quartz	Group 1	A2	Known carcinogen	
Portland cement		A4		
Calcium carbonate	Group 1		Known carcinogen	

May cause cancer based on information for closely related chemicals. Known to cause: lung cancer.

### Reproductive Toxicity

#### Development of Offspring

Product Identifier: STRUCTUROC V-PLUS - Ver. 1

SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018

Page 05 of 07

Conclusions cannot be drawn from the limited studies available.

#### **Sexual Function and Fertility**

Conclusions cannot be drawn from the limited studies available.

#### **Effects on or via Lactation**

No information was located.

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No information was located. May cause long term adverse effects in aquatic environment.

### **Persistence and Degradability**

No information was located.

### **Bioaccumulative Potential**

No information was located.

### **Mobility in Soil**

No information was located.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.

## **SECTION 14. TRANSPORT INFORMATION**

Not regulated under Canadian TDG regulations.

**Special Precautions** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

### **Safety, Health and Environmental Regulations**

This product has been classified in accordance with hazard criteria of the Controlled products regulations and this SDS contains all information required by the Controlled Products Regulations.

#### **Canada**

#### **WHMIS 1988 Classification**



Class D2A; D2B



Class E

D2A - Very Toxic (Chronic toxicity); D2B - Toxic (Skin irritant; Eye irritant); E - Corrosive

## **SECTION 16. OTHER INFORMATION**

<b>NFPA Rating</b>	<b>Health - 1</b>	<b>Flammability - 0</b>	<b>Instability - 0</b>
<b>SDS Prepared By</b>	BMQ SOLUTIONS		
<b>Phone No.</b>	877-276-7249		
<b>Date of Preparation</b>	mai 13, 2016		
<b>Date of Last Revision</b>	décembre 17, 2018		

Product Identifier: STRUCTUROC V-PLUS - Ver. 1

SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018

Page 06 of 07

**Revision Indicators** The following SDS content was changed on ; SECTION 11. TOXICOLOGICAL INFORMATION; Carcinogenicity; Carbonate de Calcium

**Key to Abbreviations** ACGIH® = American Conference of Governmental Industrial Hygienists  
AIHA® = AIHA® Guideline Foundation OSHA = US Occupational Safety and Health Administration

**References** CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

**Disclaimer** We declare the information contained herein are correct. However, we decline all responsibility as to the exactness and the usage of the later.

---

Product Identifier: STRUCTUROC V-PLUS - Ver. 1  
Date of Preparation: mai 13, 2016  
Date of Last Revision: décembre 17, 2018

SDS No.: 0188

Page 07 of 07